Dart Aerospace Ltd. Tuesday, 11/29/2005 7:14:48 PM Linda Lacelle Liser **Process Sheet** : STRAP **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer : 25048B Job Number **Estimate Number** : 10729 : D23245 **Part Number** :NIA P.O. Number D2324 REV C **Drawing Number** : 11/29/2005 S.O. No. : NIA This Issue Project Number : N/A : NC Prsht Rev. : NIA : C : SMALL /MED FAB **Drawing Revision** First Issue : NIA : 24528B Material **Previous Run** Each : 12/6/2005 Qtv: **Due Date** : SER COMMENT BELOW Written By :SEE COMMENT BEION Checked & Approved By : Est. E 03.02.28 Reformat; Incorporated D2324-3 & D2324-5 K Comment J/RF **Additional Product** Job Number: Description: Machine Or Operation: Seq. #: **PURCHASING** PG 1.0 Al 05/11/30 Email or ship DXF file to vendor Laser cut flat pattern per Dwg D2324 Material release note required Strap D23245F 2.0 40.0000 Each(s) 1.0000 Each(s)/Unit Total: Comment: Qty.: **STRAP PACKAGING RESOURCE #1** PACKAGING 1 3.0 Comment: PACKAGING RESOURCE #1 C ZO6 0117

DIMENSIONAL CHECK Recieive & Inspect for Transit Damage Ensure Material Release Note is attached QC6 4.0 Comment: DIMENSIONAL CHECK Inspect dimensions per template D2324-5T1 SMALL & MEDIUM FAB RESOURCE 1 5.0 SMALL FAB 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr

Dart Ae	rospace	el td	•	i e e e	• •	¥ .		• 50		
W/O:				WORK	ORDER O	CHANGES			4	•
DATE	STEP	<u>.</u> .		PROCEDURE CHANGE	3- •	2	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
		240							-114	
									2 -21	
Part No	:		PAR #:	Fault Category		NO	CR: Yes (No DQA	Date:	6/01/24
¥ •	1.				*	}	QA: N	/C _. Closed:	4	
NCR:		;		WORK ORDER I	NON-ÇON	FORMANC	E (NCR	3)		<u></u>
DATE	STEP		ption of NC ection A	Corr	ective Action Action Desc Chief Er	cription	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector

NCR:			WORK ORDE	R NON-CONFORMANC	E (NCR)	·		
DATE	i	Description of NC		Corrective Action Section B	Verification	Ammanal		
DATE	STEP	Section A	A Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
. 4			-					
\$	J-	•	· · ·	,				
	i.							
•								
:		· · · ·	لين دهاموت و	•				;
								120
			1-2-5		2 17			
		3				- 1		
		•						:
								, t
						0		1

NOTE: Date & initial all entries

 Tuesday, 11/29/2005 7:14:49 PM · Linda Lacelle **Process Sheet** Drawing Name: STRAP Customer: CU-DAR001 Dart Helicopters Services Part Number: D23245 Job Number: 25048B Job Number: Description: Seq. #: Machine Or Operation: PACKAGING RESOURCE #1 PACKAGING 1 6.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 37DOCUMENT CONTROL 7.0 DC Comment: DOCUMENT CONTROL Suk Inspection Level 21 Job Completion

Dart Aerospace Lte

W/O:		١			· • W	ORK O	RDER CH	ANGES					4
DATE	STEP	4		PROC	EDURE CH	ANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
													·
									4 X				
•		,											
!	4		- 1	ý					. 			_	L.,
Part No	:		PAF	₹#:	Fault Cat	egory:		NC	R: Yes	No DQ	A:	_ Date: _	
•			·	į			*		QA: N	I/C Close	d:	_ Date: _	
NCR:		ž.		W	ORK ORI	DER NO	N-CONFO	RMANC	E (NCF	₹)			,
		STED Description		F NC	Corrective Action Section B				Verification			Approval	Approva
DATE	STEP		Section A		Initial Chief Eng	Ac	tion Descrip Chief Eng	tion	Sign 8 Date	Secti	on C	Chief Eng	QC Inspecto
				!									
		÷		; ; ,									+
: :		ļ		•			Δ						
		Start A		77.							3	3:	
:		<u>;</u>	•	:									
		•											
	1	E-1	•		i .				ı	1		1	1 .

NOTE: Date & initial all entries

03/03/2005

THO

90250188

INSPECTION CERTIFICATE

学院實際服务有限公司 YEH MAN CORP.

MATERIAL TEST/INSPECTION CERTIFICATES

Physical Properties

BIVOICE NO. :

SPECIFICATION: CUSTOMER

POBALTI COMMODETY :

PERME COLD BOLLED STANLESS STEEL SHEET ASS SALMM (SIC)
PINSH, WITH 160 MICFILM ON MAIN SER, WITH BACK-PINS,
SLITTED EDGRAMS SOLES FENSE, WITH PAPER RYDERLEAVED,

SUITED EDGE.

INTEGRIS METALS LTD

工业:具体基本行弊概要求340基 346, SHUH AH RDLUI GHU HEMANG KACHBIUNG TANKAH R.O.C. TELLUTYOUTHOUS PASCISTY OF THE CENTRE OF THE MICHAELES DATE OF IGGUE:05/18/2004

Chamical Connection

				W	lght		*	ĺ	7	walk 1	rest.						(%)	+			
- 1	(MEM NO)		NO.		.W.)	Heat No.	ID No.	<u> </u>	· · · · · ·	L=50 #											
- 1	SIZE			<u></u>	••			Y.S.	T.S.	EL	HRB	HV	C	3	Mo	9	S	Ni	ù-	א	
I.				KOS	LES			(Name)	(Nima)	(%)			x100	x100	×100	×1000	x1000	x100	x)08	×100	
- 1	VE 30/ 129			l	ļ	1		l	i		1	1									
	(7425-4208)	Li	- 1																		
- 1	MGAN TIP	[1	1,473	3,247	YU132553	34521644B-4	265	9000	58	81	150	3.9	46	115	24	4	807	1827	32	
ļ	(745-5951)	i l	•			YL1228940	348219398-5	280	850	57				44	440	84					1
ı	745-810		1	1,445	3,186	TUZZOSAG	2497 (8/200-0	200	1 000	07	80	156	42	46	118	24	B	820	1828	2.8	l i
!	20CA/4F X36	1	1	1,457	3.212	YU228245	35622626A-3	285	636	64	22	150	4.6	48	126	30	3	815	1827	2.5	,
	(705300		• • •	7						•	_		7,00	~	'	~		0.0	1.00		1
	HEALT TOO	1	1	1,435	3.164	YU131655	36822622A-2	312	584	54	83	163	4.5	48	107	32	7	812	1834	2.2	
	THE AMERICA	1	1	1,435	3,164	YU131655	36822522A-3	312	804	54	83	163	4,5	48	107	32	7	812	1834	2.2	
	(705-3629)	1]
	16G6A6 X120	1	1	1,414	3.117	YU131665	36622522A-4	312	964	54	83	163	4.5	46	107	32	7	612	1894	2.2	1 1
`	(400 to 100)			7.400	. non /	YU228028	35523009A-4	277	956	54	77	145				-		404	4000		
3		1	1	1,480	3,283 (10220020	3502300014	2"	100	94	"	140	4	47	112	28	1	821	1815	2.0	1 .
	14GA/45 (128)	1	1	1,437	3368	YU229051	35S2290SC-5	298	860	53	82	160	42	49	114	32	5	810	1813	1.7	
	(746-4977)	1 1		4						•	75		'-	1	''-	- I	٠ ١	V.V.	1010	4.4	1 1
	14GA/80"312V	1 1	1	1,430	1123	YU132000	368230918-11	281	627	56	80	154	44.	. 50	113	30	5	801	1811	2.5	1 1
	14GA/80"X230	1 1	1	1,430	\$158	YU132600	35323091B-9	281	637	55	80	154	44	50	113	30	5	801	1811	2.6	
	(7425-6400)	1 1												- 1		į	1			•	
	INGA/BY XXA	1 1	1	1,391	3,067	YU132690	35523091 B-12	281	637	55	80	154	4.4	50	113	30	5 -	601	1811	2.8	}]
	(747-350)		_														- 1				
	12GA/65 2296*	1 1	1	1,465	3,230	YL1228945	35829007A-12	306	666	53	83	165	4.9	46	108	24	5	817	1824	3.1	
	(7427-3690)] [1 071	9,000	YU228045	35822007A-13	306	655	29	83	165			400	i	. [4		1
	12GA/48°3120'			1,971 1,375	3,023 3,031	YU228946	35523007A-14	306	655	53 53	83	185	4.9	45	106	24	5	817	1824	3.1	
	13GA/18-X120 12GA/18-X120		•	1,375	3031	YU228945	35\$23007A-15	306	655	23	83	165	4.9	45 45	106	24 24	5	817	1824	3.1	
	(1427-4127)		•	4014	-JANE	. 4420440	AALERSON V. IV.		•••	~	~		~~	70	100	•	°	91/	1967	3.1	
	· 12GA/60 X120	4	1	1,423	3,157	YU132669	35523083A-11	294	646	53	82	161	52	51	115	31	3	802	1823	2.0	' I
														•	***	-	•	~			ļ
′ :			-16-	215	50.346					PA.											

NO MERCURY CONTAMBULTION RENDERY CONTRY THAT THE MATERIAL DESCRIBED HISSESS HAS BEST BADGE IN ACCORDANCE WITH THE TRACES OF THE MELL CERTIFICATE.

PRODUCT IN ACCORDANCE WITH ASTM A244, A480. A3628, ASBES SA140, QQ8765D.

166-01-1,


Bend test good for all Heat NO.


YIRH MAU CORP.




DESIG	N /ILLIAMS	DRAWN BY		ART AEROSPAI			
CHECK		APPROVED_A	DRAWING NO.		 <	REV.	С
	#	-#-	D2324		SHEET	1 OF	1
DATE	3.2		TITLE			SCA	LΕ
04.1	2.14		STRUT				
Α		94.11.08	NEW ISS	UE			
В		96.05.07	UPDATE	MATERIALS			
С		04.12.14	UPDATE	NOTES			

RELEASED 04.12.16





1) IDENTIFY WITH DART P/N D2324 USING FINE POINT PERMANENT INK MARKER




D2324-3

6061-T6/T651 BAR (QQ-A-200/8) 0.75 X 0.75 (REF DART SPEC. M6061T6B0.750X00.750) 1) MATERIAL:

ACID ETCH AND ALODINE PER DART QSI 005 4.1 2) FINISH:





D2324-5

1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET 16 GAUGE (0.063 THICK)

(REF DART SPEC. M304S16GA)

POWDERCOAT WHITE (4.3.5.1) PER DART QSI QQ5 4.3

3) BREAK ALL SHARP EDGES 0.005 TO 0.015

- 4) ALL DIMENSIONS ARE IN INCHES
- 5) ALL TOLERANCES ARE PER DART OSI 018 UNLESS OTHERWISE NOTED